Pain 122 (2006) 332–334

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 122 (2006)

Aasvang, E.K., Møhl, B., Bay-Nielsen, M., Kehlet, H., Pain related sexual dysfunction after inguinal herniorrhaphy, **122** 258
Afridi, S.K., Shields, K.G., Bhola, R., Goadsby, P.J., Greater occipital nerve injection in primary headache syndromes – prolonged effects from a single injection, **122** 126
Albuquerque, R.J.C., de Leeuw, R., Carlson, C.R., Okeson, J.P., Miller, C.S., Andersen, A.H., Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study, **122** 223
Anand, K.J.S., see Bartocci, M., **122** 109
Andersen, A.H., see Albuquerque, R.J.C., **122** 223
Arendt-Nielsen, L., see Gazerani, P., **122** 315
Attal, N., see Hatem, S., **122** 190

Barlas, P., Ting, S.L.H., Chesterton, L.S., Jones, P.W., Sim, J., Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study, **122** 81
Barrett, A.C., see Terner, J.M., **122** 90
Bartocci, M., Bergqvist, L.L., Lagercrantz, H., Anand, K.J.S., Pain activates cortical areas in the preterm newborn brain, **122** 109
Bay-Nielsen, M., see Aasvang, E.K., **122** 258
Bennett, M.I., Smith, B.H., Torrance, N., Lee, A.J., Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians, **122** 289
Bennett, G.J., see Flatters, S.J.L., **122** 245
Bergqvist, L.L., see Bartocci, M., **122** 109
Bhola, R., see Afridi, S.K., **122** 126
Boecker, H., see Sprenger, T., **122** 63
Boggio, P.S., see Fregni, F., **122** 197
Bouhassira, D., see Hatem, S., **122** 190
Bourquin, A.-F., Süveges, M., Pertin, M., Gilliard, N., Sardy, S., Davison, A.C., Spahn, D.R., Decosterd, I., Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse, **122** 14
Brainin-Mattos, J., Smith, N.D., Malkmus, S., Rew, Y., Goodman, M., Taulane, J., Yaksh, T.L., Cancer-related bone pain is attenuated by a systemically available δ-opioid receptor agonist, **122** 174
Brox, J.I., Reikerås, O., Nygaard, rensen, R., Indahl, A., Holm, I., Keller, A., Ingebrigtsen, T., Grundnes, O., Lange, J.E., Friis, A., Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study, **122** 145
Bruce, B.K., see Sandroni, P., **122** 210
Buckley, N.E., see Ibrahim, M.M., **122** 36
Bushnell, M.C., see Villemure, C., **122** 326

Cano, A., see Goubert, L., **122** 326
Carlson, C.R., see Albuquerque, R.J.C., **122** 223
Carroll, D., see Hall, G.C., **122** 156
Carstensen, J., see Enthoven, P., **122** 137
Castro, A.W., see Fregni, F., **122** 197
Chang, Y.-C., see Lin, C.-C., **122** 271
Chesterton, L.S., see Barlas, P., **122** 81
Chibnall, J.T., see Tait, R.C., **122** 326
Chou, P.-L., see Lin, C.-C., **122** 271
Chung, J.M., see Kim, H.K., **122** 53
Chung, K., see Kim, H.K., **122** 53
Condés-Lara, M., see Miranda-Cardenas, Y., **122** 182
Craig, K.D., see Goubert, L., **122** 326
Croft, P.R., Dunn, K.M., Raspe, H., Course and prognosis of back pain in primary care: The epidemiological perspective, **122** 1
Crombez, G., see Goubert, L., **122** 326
Crombez, G., see Sullivan, M.J.L., **122** 282

Díaz-Zagoya, J.C., see Juárez-Rojop, I.E., **122** 118
Davison, A.C., see Bourquin, A.-F., **122** 14
de Leeuw, R., see Albuquerque, R.J.C., **122** 223
De Leo, J.A., Tawfik, V.L., LaCroix-Fralish, M.L., The tetrapartite synapse: Path to CNS sensitization and chronic pain, **122** 17
Decosterd, I., see Bourquin, A.-F., **122** 14
Derbyshire, S.W.G., Burning questions about the brain in pain, **122** 217
Drewes, A.M., see Gazerani, P., **122** 315
Dunn, K.M., see Croft, P.R., **122** 1

Enthoven, P., Skargren, E., Carstensen, J., Oberg, B., Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care, **122** 137

Farrar, J.T., see Polomano, R.C., **122** 4
Ferreira, M.J.L., see Fregni, F., **122** 197
Flatters, S.J.L., Bennett, G.J., Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction, **122** 245
Flores-Murrieta, F.J., see Juárez-Rojop, I.E., **122** 118
Freedman, S.D., see Fregni, F., **122** 197
Fregni, F., Boggio, P.S., Lima, M.C., Ferreira, M.J.L., Wagner, T., Rigonatti, S.P., Castro, A.W., Souza, D.R., Riberto, M., Freedman, S.D., Nitsche, M.A., Pascual-Leone, A., A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury, **122** 197
Freund-Mercier, M.J., see Miranda-Cardenas, Y., **122** 182
Friis, A., see Brox, J.I., **122** 145
Furuse, S., see Kawamata, M., **122** 68

Gao, X., see Kim, H.K., **122** 53
Garber, J., see Walker, L.S., **122** 43

doi:10.1016/S0304-3959(06)00228-4

Gazerani, P., Staahl, C., Drewes, A.M., Arendt-Nielsen, L., The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization, **122** 315
Gilliard, N., see Bourquin, A.-F., **122** 14
Goadsby, P.J., see Afridi, S.K., **122** 126
Goodman, M., see Brainin-Mattos, J., **122** 174
Goto, F., see Sasaki, M., **122** 130
Goubert, L., Vervoort, T., Crombez, G., Cano, A., Craig, K.D., Williams, A.C., Response to Letter to the Editor regarding our manuscript "Facing others in pain: The effects of empathy", **122** 326
Granados-Soto, V., see Juárez-Rojop, I.E., **122** 118
Granot, M., Granovsky, Y., Sprecher, E., Nir, R.-R., Yarnitsky, D., Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation, **122** 295
Granovsky, Y., see Granot, M., **122** 295
Grundnes, O., see Brox, J.I., **122** 145

Hall, G.C., Carroll, D., Parry, D., McQuay, H.J., Epidemiology and treatment of neuropathic pain: The UK primary care perspective, **122** 156
Hannaford, P.C., see Macfarlane, G.J., **122** 219
Hatem, S., Attal, N., Willer, J.-C., Bouhassira, D., Psychophysical study of the effects of topical application of menthol in healthy volunteers, **122** 190
Helkimo, M., see List, T., **122** 306
Henriksen, G., see Sprenger, T., **122** 63
Hirata, M., see Hirayama, A., **122** 22
Hirayama, A., Saitoh, Y., Kishima, H., Shimokawa, T., Oshino, S., Hirata, M., Kato, A., Yoshimine, T., Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex, **122** 22
Holm, I., see Brox, J.I., **122** 145

Ibrahim, M.M., Rude, M.L., Stagg, N.J., Mata, H.P., Lai, J., Vanderah, T.W., Porreca, F., Buckley, N.E., Makriyannis, A., Malan Jr., T.P., CB_2 cannabinoid receptor mediation of antinociception, **122** 36
Indahl, A., see Brox, J.I., **122** 145
Ingebrigtsen, T., see Brox, J.I., **122** 145

Jones, P.W., see Barlas, P., **122** 81
Jones, G.T., see Macfarlane, G.J., **122** 219
Juárez-Rojop, I.E., Granados-Soto, V., Díaz-Zagoya, J.C., Flores-Murrieta, F.J., Torres-López, J.E., Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response, **122** 118
Jull, G., see Sterling, M., **122** 102

Kalkman, C.J., see Veldhuijzen, D.S., **122** 28
Kato, A., see Hirayama, A., **122** 22
Kawahara, K., see Sasaki, M., **122** 130
Kawamata, M., Sugino, S., Narimatsu, E., Yamauchi, M., Kiya, T., Furuse, S., Namiki, A., Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat, **122** 68
Kehlet, H., see Aasvang, E.K., **122** 258
Keller, A., see Brox, J.I., **122** 145
Kenardy, J., see Sterling, M., **122** 102
Kenemans, J.L., see Veldhuijzen, D.S., **122** 28
Kim, J.H., see Kim, H.K., **122** 53
Kim, H.K., Kim, J.H., Gao, X., Zhou, J.-L., Lee, I., Chung, K., Chung, J.M., Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain, **122** 53
Kishima, H., see Hirayama, A., **122** 22
Kiya, T., see Kawamata, M., **122** 68
Koepp, J., Lindsey, C.J., Motta, E.M., Rae, G.A., Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw, **122** 235
Koppert, W., Response to Dr. Russo's letter: Anti-hyperalgesia properties of buprenorphine, **122** 216

LaCroix-Fralish, M.L., see De Leo, J.A., **122** 17
Lagercrantz, H., see Bartocci, M., **122** 109
Lai, Y.-L., see Lin, C.-C., **122** 271
Lai, J., see Ibrahim, M.M., **122** 36
Lange, J.E., see Brox, J.I., **122** 145
Lee, A.J., see Bennett, M.I., **122** 289
Lee, I., see Kim, H.K., **122** 53
Lefaucheur, J.-P., New insights into the therapeutic potential of non-invasive transcranial cortical stimulation in chronic neuropathic pain, **122** 11
Leijon, G., see List, T., **122** 306
Lima, M.C., see Fregni, F., **122** 197
Lin, C.-C., Chou, P.-L., Wu, S.-L., Chang, Y.-C., Lai, Y.-L., Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain, **122** 271
Lindsey, C.J., see Koepp, J., **122** 235
Lipani, T.A., see Walker, L.S., **122** 43
List, T., Leijon, G., Helkimo, M., Öster, A., Svensson, P., Effect of local anesthesia on atypical odontalgia – A randomized controlled trial, **122** 306
Lomas, L.M., see Terner, J.M., **122** 90
López-Hidalgo, M., see Miranda-Cardenas, Y., **122** 182

Ma, J., Pan, Z.Z., Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance, **122** 163
Macfarlane, G.J., Jones, G.T., Hannaford, P.C., Managing low back pain presenting to primary care: Where do we go from here?, **122** 219
Makriyannis, A., see Ibrahim, M.M., **122** 36
Malan Jr., T.P., see Ibrahim, M.M., **122** 36
Malkmus, S., see Brainin-Mattos, J., **122** 174
Marani, S., see Zanette, G., **122** 264
Marcotte, P.J., see Polomano, R.C., **122** 4
Martínez-Lorenzana, G., see Miranda-Cardenas, Y., **122** 182
Martel, M.O., see Sullivan, M.J.L., **122** 282
Martin, D.P., see Sandroni, P., **122** 210
Mata, H.P., see Ibrahim, M.M., **122** 36
McQuay, H.J., see Hall, G.C., **122** 156
Miller, C.S., see Albuquerque, R.J.C., **122** 223
Miranda-Cardenas, Y., Rojas-Piloni, G., Martínez-Lorenzana, G., Rodríguez-Jiménez, J., López-Hidalgo, M., Freund-Mercier, M.J., Condés-Lara, M., Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist, **122** 182
Møhl, B., see Aasvang, E.K., **122** 258
Motta, E.M., see Koepp, J., **122** 235

Namiki, A., see Kawamata, M., **122** 68
Narimatsu, E., see Kawamata, M., **122** 68
Negus, S.S., see Terner, J.M., **122** 90
Nir, R.-R., see Granot, M., **122** 295
Nitsche, M.A., see Fregni, F., **122** 197
Nygaard, see Brox, J.I., **122** 145

Obata, H., see Sasaki, M., **122** 130
Oberg, B., see Enthoven, P., **122** 137
Okeson, J.P., see Albuquerque, R.J.C., **122** 223
Olivier, B., see Veldhuijzen, D.S., **122** 28
Oshino, S., see Hirayama, A., **122** 22
Öster, A., see List, T., **122** 306

Pan, Z.Z., see Ma, J., **122** 163
Parry, D., see Hall, G.C., **122** 156
Pascual-Leone, A., see Fregni, F., **122** 197
Pertin, M., see Bourquin, A.-F., **122** 14
Picker, M.J., see Terner, J.M., **122** 90
Polomano, R.C., Marcotte, P.J., Farrar, J.T., Spinal fusion or exercise and cognitive intervention? In search of the answers, **122** 4
Porreca, F., see Ibrahim, M.M., **122** 36
Pud, D., Sapir, S.Tait, R.C., Chibnall, J.T., Dr. Pud's Response to Dr. Villemure's Letter, **122** 326
Pud, D., Sapir, S.Tait, R.C., Chibnall, J.T., Comment on Goubert et al.: Facing others in pain: the effects of empathy. Pain 2005;118:285–8, **122** 326

Rae, G.A., see Koepp, J., **122** 235
Raspe, H., see Croft, P.R., **122** 1
Reikerås, O., see Brox, J.I., **122** 145
Rew, Y., see Brainin-Mattos, J., **122** 174
Riberto, M., see Fregni, F., **122** 197
Rigonatti, S.P., see Fregni, F., **122** 197
Rodríguez-Jiménez, J., see Miranda-Cardenas, Y., **122** 182
Rojas-Piloni, G., see Miranda-Cardenas, Y., **122** 182
Rome, J.D., see Sandroni, P., **122** 210
Rude, M.L., see Ibrahim, M.M., **122** 36
Russo, M.A., Anti-hyperalgesia properties of buprenorphine, **122** 216

Saito, S., see Sasaki, M., **122** 130
Saitoh, Y., see Hirayama, A., **122** 22
Sandroni, P., Martin, D.P., Bruce, B.K., Rome, J.D., Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers, **122** 210
Sapir, S., see Pud, D., **122** 326
Sardy, S., see Bourquin, A.-F., **122** 14
Sasaki, M., Obata, H., Kawahara, K., Saito, S., Goto, F., Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats, **122** 130
Savard, A., see Sullivan, M.J.L., **122** 282
Shields, K.G., see Afridi, S.K., **122** 126
Shimokawa, T., see Hirayama, A., **122** 22
Sim, J., see Barlas, P., **122** 81
Skargren, E., see Enthoven, P., **122** 137
Smith, N.D., see Brainin-Mattos, J., **122** 174
Smith, B.H., see Bennett, M.I., **122** 289
Smith, C.A., see Walker, L.S., **122** 43
Sørensen, R., see Brox, J.I., **122** 145
Souza, D.R., see Fregni, F., **122** 197
Spahn, D.R., see Bourquin, A.-F., **122** 14
Spilker, M.E., see Sprenger, T., **122** 63
Sprecher, E., see Granot, M., **122** 295
Sprenger, T., Valet, M., Boecker, H., Henriksen, G., Spilker, M.E., Willoch, F., Wagner, K.J., Wester, H.J., Tölle, T.R., Opioidergic activation in the medial pain system after heat pain, **122** 63
Staahl, C., see Gazerani, P., **122** 315
Stagg, N.J., see Ibrahim, M.M., **122** 36
Sterling, M., Jull, G., Kenardy, J., Physical and psychological factors maintain long-term predictive capacity post-whiplash injury, **122** 102
Sugino, S., see Kawamata, M., **122** 68
Sullivan, M.J.L., Martel, M.O., Tripp, D., Savard, A., Crombez, G., The relation between catastrophizing and the communication of pain experience, **122** 282
Süveges, M., see Bourquin, A.-F., **122** 14
Svensson, P., see List, T., **122** 306

Tamburin, S., see Zanette, G., **122** 264
Taulane, J., see Brainin-Mattos, J., **122** 174
Tawfik, V.L., see De Leo, J.A., **122** 17
Terner, J.M., Barrett, A.C., Lomas, L.M., Negus, S.S., Picker, M.J., Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains, **122** 90
Ting, S.L.H., see Barlas, P., **122** 81
Tölle, T.R., see Sprenger, T., **122** 63
Torrance, N., see Bennett, M.I., **122** 289
Torres-López, J.E., see Juárez-Rojop, I.E., **122** 118
Tripp, D., see Sullivan, M.J.L., **122** 282

Valet, M., see Sprenger, T., **122** 63
Van Slyke, D.A., see Walker, L.S., **122** 43
van Wijck, A.J.M., see Veldhuijzen, D.S., **122** 28
Vanderah, T.W., see Ibrahim, M.M., **122** 36
Veldhuijzen, D.S., van Wijck, A.J.M., Wille, F., Verster, J.C., Kenemans, J.L., Kalkman, C.J., Olivier, B., Volkerts, E.R., Effect of chronic nonmalignant pain on highway driving performance, **122** 28
Verster, J.C., see Veldhuijzen, D.S., **122** 28
Vervoort, T., see Goubert, L., **122** 326
Villemure, C., Bushnell, M.C., Comments on Pud and Sapir study, **122** 326
Volkerts, E.R., see Veldhuijzen, D.S., **122** 28
von Baeyer, C.L., Whitehead, W.E., Effects of parent attention versus distraction on abdominal discomfort in children: A new method and new findings, **122** 8

Wagner, K.J., see Sprenger, T., **122** 63
Wagner, T., see Fregni, F., **122** 197
Walker, L.S., Williams, S.E., Smith, C.A., Garber, J., Van Slyke, D.A., Lipani, T.A., Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain, **122** 43
Wester, H.J., see Sprenger, T., **122** 63
Whitehead, W.E., see von Baeyer, C.L., **122** 8
Wille, F., see Veldhuijzen, D.S., **122** 28
Willer, J.-C., see Hatem, S., **122** 190
Williams, S.E., see Walker, L.S., **122** 43
Williams, A.C., see Goubert, L., **122** 326
Willoch, F., see Sprenger, T., **122** 63
Wu, S.-L., see Lin, C.-C., **122** 271

Yaksh, T.L., see Brainin-Mattos, J., **122** 174
Yamauchi, M., see Kawamata, M., **122** 68
Yarnitsky, D., see Granot, M., **122** 295
Yoshimine, T., see Hirayama, A., **122** 22

Zacny, J.P., Chronic pain and driving: Proceed with caution, **122** 6
Zanette, G., Marani, S., Tamburin, S., Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms, **122** 264
Zhou, J.-L., see Kim, H.K., **122** 53

Pain 122 (2006) 335–339

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 122 (2006)

ACC
Opioidergic activation in the medial pain system after heat pain **122**, 63
Accuracy of pain inferences
The relation between catastrophizing and the communication of pain experience **122**, 282
Allodynia
Cancer-related bone pain is attenuated by a systemically available δ-opioid receptor agonist **122**, 174
Allodynia
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
AM1241
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
Analgesia
Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain **122**, 53
Analgesia
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance **122**, 163
Analgesia
Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers **122**, 210
Animal model
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Antinociception
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist **122**, 182
Antioxidant
Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain **122**, 53
Attention
Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain **122**, 43
Atypical facial pain
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial **122**, 306
Back pain
Managing low back pain presenting to primary care: Where do we go from here? **122**, 219
Barriers to pain management
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain **122**, 271
Behavior
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist **122**, 182
Botulinum Toxin type A
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Brain imaging
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
Brain polarization
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury **122**, 197
Burning mouth disorder
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
cAMP
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance **122**, 163
Cancer
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Cancer pain
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain **122**, 271
Cannabinoid
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
Capsaicin
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Carpal tunnel syndrome
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Catastrophizing
The relation between catastrophizing and the communication of pain experience **122**, 282
CB_2
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
CCK-8
Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response **122**, 118

doi:10.1016/S0304-3959(06)00229-6

CCK_B receptors
Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response **122**, 118
Central pain
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury **122**, 197
Cerebral cortex
Pain activates cortical areas in the preterm newborn brain **122**, 109
Chemotherapy
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Chronic low back pain
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study **122**, 145
Chronic pain
Pain related sexual dysfunction after inguinal herniorrhaphy **122**, 258
Clinical assessment
Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians **122**, 289
Clinical trials
Managing low back pain presenting to primary care: Where do we go from here? **122**, 219
Cluster headache
Greater occipital nerve injection in primary headache syndromes – prolonged effects from a single injection **122**, 126
Cognitive intervention
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study **122**, 145
Cold allodynia
Psychophysical study of the effects of topical application of menthol in healthy volunteers **122**, 190
Cold hyperalgesia
Psychophysical study of the effects of topical application of menthol in healthy volunteers **122**, 190
Communal coping
The relation between catastrophizing and the communication of pain experience **122**, 282
Consciousness
Pain activates cortical areas in the preterm newborn brain **122**, 109
Contact stimuli
Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation **122**, 295
CTS
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Deafferentation pain
Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex **122**, 22
Degeneration
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Diabetes
Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response **122**, 118
Diagnostic tools
Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians **122**, 289
Disability
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care **122**, 137
Distraction
Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain **122**, 43
Driving ability
Effect of chronic nonmalignant pain on highway driving performance **122**, 28
Dysejaculation
Pain related sexual dysfunction after inguinal herniorrhaphy **122**, 258
Electroacupuncture
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81
Epidemiology
Managing low back pain presenting to primary care: Where do we go from here? **122**, 219
Exercises
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study **122**, 145
Experimental pain
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Family
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain **122**, 271
Free radical scavenger
Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain **122**, 53
Functional abdominal pain
Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain **122**, 43
Functional magnetic resonance imaging
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
Greater occipital nerve
Greater occipital nerve injection in primary headache syndromes – prolonged effects from a single injection **122**, 126
Groin hernia repair
Pain related sexual dysfunction after inguinal herniorrhaphy **122**, 258
Heat pain
Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation **122**, 295
5-HT_{2A} receptor antagonist
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats **122**, 130
Humans
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81

5-Hydroxytryptamine
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats **122**, 130
Hyperalgesia
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats **122**, 130
Hyperalgesia
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Ibotenic acid lesion
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Image-guided
Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex **122**, 22
Incidence
Epidemiology and treatment of neuropathic pain: The UK primary care perspective **122**, 156
Incision
Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat **122**, 68
Infant–newborn
Pain activates cortical areas in the preterm newborn brain **122**, 109
Inflammatory pain
Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response **122**, 118
Insula
Opioidergic activation in the medial pain system after heat pain **122**, 63
Intensity
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81
IPSC
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance **122**, 163
Knockout
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
Lidocaine
Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat **122**, 68
Lidocaine
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial **122**, 306
Low back pain
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care **122**, 137
Management
Managing low back pain presenting to primary care: Where do we go from here? **122**, 219
Mechanical allodynia
Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain **122**, 53
Mechanical pain
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81
Median nerve
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Menthol
Psychophysical study of the effects of topical application of menthol in healthy volunteers **122**, 190
Mice
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Microdialysis
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats **122**, 130
Microtubule
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Migraine
Greater occipital nerve injection in primary headache syndromes – prolonged effects from a single injection **122**, 126
Migraine
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Mixed-effects model
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Morphine
Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains **122**, 90
Morphine
Cancer-related bone pain is attenuated by a systemically available δ-opioid receptor agonist **122**, 174
Motor cortex
Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex **122**, 22
Naltrexone
Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains **122**, 90
Navigation
Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex **122**, 22
Near infrared spectroscopy
Pain activates cortical areas in the preterm newborn brain **122**, 109
Neuropathic pain
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Neuropathic pain
Epidemiology and treatment of neuropathic pain: The UK primary care perspective **122**, 156
Neuropathic pain
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Neuropathic pain
Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians **122**, 289
Neuropathic pain
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial **122**, 306

Nocebo
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81
Nociception
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
Nociception
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Noxious stimulation
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Observing pain
The relation between catastrophizing and the communication of pain experience **122**, 282
μ-Opioid receptors
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance **122**, 163
Opioids
Opioidergic activation in the medial pain system after heat pain **122**, 63
Osteosarcoma
Cancer-related bone pain is attenuated by a systemically available δ-opioid receptor agonist **122**, 174
Oxytocin
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist **122**, 182
Oxytocin antagonist
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist **122**, 182
Pain
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Pain
Effect of chronic nonmalignant pain on highway driving performance **122**, 28
Pain
CB_2 cannabinoid receptor mediation of antinociception **122**, 36
Pain
Opioidergic activation in the medial pain system after heat pain **122**, 63
Pain
Pain activates cortical areas in the preterm newborn brain **122**, 109
Pain
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance **122**, 163
Pain
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist **122**, 182
Pain
Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers **122**, 210
Pain
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Pain
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction **122**, 245
Pain
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Pain behavior
The relation between catastrophizing and the communication of pain experience **122**, 282
Pain communication
The relation between catastrophizing and the communication of pain experience **122**, 282
Pain education program
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain **122**, 271
Pain insensitivity
Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers **122**, 210
Pain management
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain **122**, 271
Pain threshold
Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study **122**, 81
Paratrigeminal nucleus
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Parent–child interaction
Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain **122**, 43
Perceiving others' pain
The relation between catastrophizing and the communication of pain experience **122**, 282
Peripheral nerve injury
Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse **122**, 14
Personality
Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation **122**, 295
PET
Opioidergic activation in the medial pain system after heat pain **122**, 63
Plasticity
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms **122**, 264
Post-traumatic stress symptoms
Physical and psychological factors maintain long-term predictive capacity post-whiplash injury **122**, 102
Posterior lumbar instrumented fusion
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study **122**, 145
Precuneus
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
Prediction
Physical and psychological factors maintain long-term predictive capacity post-whiplash injury **122**, 102
Previous discectomy
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous

surgery for disc herniation: A prospective randomized controlled study **122**, 145
Primary care
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care **122**, 137
Primary care
Epidemiology and treatment of neuropathic pain: The UK primary care perspective **122**, 156
Prognostic factors
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care **122**, 137
Quantitative sensory tests
Psychophysical study of the effects of topical application of menthol in healthy volunteers **122**, 190
QX-314
Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat **122**, 68
Randomized clinical trial
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study **122**, 145
Rat
Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains **122**, 90
RCT
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial **122**, 306
Repetitive transcranial magnetic stimulation
Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex **122**, 22
ROS
Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain **122**, 53
S-LANSS
Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians **122**, 289
Sarpogrelate
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats **122**, 130
SDLP
Effect of chronic nonmalignant pain on highway driving performance **122**, 28
Sensitization
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Sensory hypersensitivity
Physical and psychological factors maintain long-term predictive capacity post-whiplash injury **122**, 102
Sensory neuropathy
Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers **122**, 210
Sensory perception
Pain activates cortical areas in the preterm newborn brain **122**, 109
Sex differences
Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains **122**, 90
Sexual dysfunction
Pain related sexual dysfunction after inguinal herniorrhaphy **122**, 258
Sick-leave
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care **122**, 137
Social learning
Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain **122**, 43
Spinal cord injury
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury **122**, 197
Spinal dorsal horn
Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat **122**, 68
Strain differences
Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains **122**, 90
Supraspinal pain control system
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw **122**, 235
Surrogate models
Psychophysical study of the effects of topical application of menthol in healthy volunteers **122**, 190
Tactile
Pain activates cortical areas in the preterm newborn brain **122**, 109
Temporal summation
Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation **122**, 295
Thalamic hypofunction
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
Transcranial direct current stimulation
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury **122**, 197
Treatment
Epidemiology and treatment of neuropathic pain: The UK primary care perspective **122**, 156
Trigeminal
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization **122**, 315
Trigeminal pain mechanisms
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial **122**, 306
Trigeminal thermal stimulation
Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study **122**, 223
Whiplash injury
Physical and psychological factors maintain long-term predictive capacity post-whiplash injury **122**, 102
Wide-dynamic-range neuron: Lidocaine
Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat **122**, 68
WIN55,212-2
CB_2 cannabinoid receptor mediation of antinociception **122**, 36

Pain 122 (2006) 340–342

PAIN

www.elsevier.com/locate/pain

Contents to Volume 122 (2006)

Numbers 1,2 – May 2006

EDITORIALS

Course and prognosis of back pain in primary care: The epidemiological perspective
P.R. Croft, K.M. Dunn, H. Raspe (UK, Germany) 1

Spinal fusion or exercise and cognitive intervention? In search of the answers
R.C. Polomano, P.J. Marcotte, J.T. Farrar (USA) 4

Chronic pain and driving: Proceed with caution
J.P. Zacny (USA) 6

Effects of parent attention versus distraction on abdominal discomfort in children: A new method and new findings
C.L. von Baeyer, W.E. Whitehead (Canada, USA) 8

New insights into the therapeutic potential of non-invasive transcranial cortical stimulation in chronic neuropathic pain
J.-P. Lefaucheur (France) 11

e-PAIN ARTICLE

Assessment and analysis of mechanical allodynia-like behavior induced by spared nerve injury (SNI) in the mouse
A.-F. Bourquin, M. Süveges, M. Pertin, N. Gilliard, S. Sardy, A.C. Davison, D.R. Spahn, I. Decosterd (Switzerland) e 14

TOPICAL REVIEW

The tetrapartite synapse: Path to CNS sensitization and chronic pain
J.A. De Leo, V.L. Tawfik, M.L. LaCroix-Fralish (USA) 17

RESEARCH PAPERS

Reduction of intractable deafferentation pain by navigation-guided repetitive transcranial magnetic stimulation of the primary motor cortex
A. Hirayama, Y. Saitoh, H. Kishima, T. Shimokawa, S. Oshino, M. Hirata, A. Kato, T. Yoshimine (Japan) 22

Effect of chronic nonmalignant pain on highway driving performance
D.S. Veldhuijzen, A.J.M. van Wijck, F. Wille, J.C. Verster, J.L. Kenemans, C.J. Kalkman, B. Olivier, E.R. Volkerts (The Netherlands) 28

CB_2 cannabinoid receptor mediation of antinociception
M.M. Ibrahim, M.L. Rude, N.J. Stagg, H.P. Mata, J. Lai, T.W. Vanderah, F. Porreca, N.E. Buckley, A. Makriyannis, T.P. Malan Jr. (USA) 36

Parent attention versus distraction: Impact on symptom complaints by children with and without chronic functional abdominal pain
L.S. Walker, S.E. Williams, C.A. Smith, J. Garber, D.A. Van Slyke, T.A. Lipani (USA) 43

Analgesic effect of vitamin E is mediated by reducing central sensitization in neuropathic pain
H.K. Kim, J.H. Kim, X. Gao, J.-L. Zhou, I. Lee, K. Chung, J.M. Chung (USA) 53

Opioidergic activation in the medial pain system after heat pain
T. Sprenger, M. Valet, H. Boecker, G. Henriksen, M.E. Spilker, F. Willoch, K.J. Wagner, H.J. Wester, T.R. Tölle (Germany, Norway) 63

Effects of systemic administration of lidocaine and QX-314 on hyperexcitability of spinal dorsal horn neurons after incision in the rat
M. Kawamata, S. Sugino, E. Narimatsu, M. Yamauchi, T. Kiya, S. Furuse, A. Namiki (Japan) 68

Effects of intensity of electroacupuncture upon experimental pain in healthy human volunteers: A randomized, double-blind, placebo-controlled study
P. Barlas, S.L.H. Ting, L.S. Chesterton, P.W. Jones, J. Sim (UK) 81

Influence of low doses of naltrexone on morphine antinociception and morphine tolerance in male and female rats of four strains
J.M. Terner, A.C. Barrett, L.M. Lomas, S.S. Negus, M.J. Picker (USA) 90

Physical and psychological factors maintain long-term predictive capacity post-whiplash injury
M. Sterling, G. Jull, J. Kenardy (Australia) 102

Pain activates cortical areas in the preterm newborn brain
M. Bartocci, L.L. Bergqvist, H. Lagercrantz, K.J.S. Anand (Sweden, Italy, USA) 109

e Additional material available online.

doi:10.1016/S0304-3959(06)00230-2

Involvement of cholecystokinin in peripheral nociceptive sensitization during diabetes in rats as revealed by the formalin response
I.E. Juárez-Rojop, V. Granados-Soto, J.C. Díaz-Zagoya, F.J. Flores-Murrieta, J.E. Torres-López (Mexico) 118
Greater occipital nerve injection in primary headache syndromes – prolonged effects from a single injection
S.K. Afridi, K.G. Shields, R. Bhola, P.J. Goadsby (UK) 126
Peripheral 5-HT_{2A} receptor antagonism attenuates primary thermal hyperalgesia and secondary mechanical allodynia after thermal injury in rats
M. Sasaki, H. Obata, K. Kawahara, S. Saito, F. Goto (Japan) 130
Predictive factors for 1-year and 5-year outcome for disability in a working population of patients with low back pain treated in primary care
P. Enthoven, E. Skargren, J. Carstensen, B. Oberg (Sweden) 137
Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: A prospective randomized controlled study
J.I. Brox, O. Reikerås, Ø. Nygaard, R. Sørensen, A. Indahl, I. Holm, A. Keller, T. Ingebrigtsen, O. Grundnes, J.E. Lange, A. Friis (Norway) 145
Epidemiology and treatment of neuropathic pain: The UK primary care perspective
G.C. Hall, D. Carroll, D. Parry, H.J. McQuay (UK) 156
Contribution of brainstem $GABA_A$ synaptic transmission to morphine analgesic tolerance
J. Ma, Z.Z. Pan (USA) 163
Cancer-related bone pain is attenuated by a systemically available δ-opioid receptor agonist
J. Brainin-Mattos, N.D. Smith, S. Malkmus, Y. Rew, M. Goodman, J. Taulane, T.L. Yaksh (USA) 174
Oxytocin and electrical stimulation of the paraventricular hypothalamic nucleus produce antinociceptive effects that are reversed by an oxytocin antagonist
Y. Miranda-Cardenas, G. Rojas-Piloni, G. Martínez-Lorenzana, J. Rodríguez-Jiménez, M. López-Hidalgo, M.J. Freund-Mercier, M. Condés-Lara (Mexico, France) 182
Psychophysical study of the effects of topical application of menthol in healthy volunteers
S. Hatem, N. Attal, J.-C. Willer, D. Bouhassira (France) 190
A sham-controlled, phase II trial of transcranial direct current stimulation for the treatment of central pain in traumatic spinal cord injury
F. Fregni, P.S. Boggio, M.C. Lima, M.J.L. Ferreira, T. Wagner, S.P. Rigonatti, A.W. Castro, D.R. Souza, M. Riberto, S.D. Freedman, M.A. Nitsche, A. Pascual-Leone (USA, Brazil, Spain, Germany) 197

CLINICAL NOTE

Congenital idiopathic inability to perceive pain: A new syndrome of insensitivity to pain and itch with preserved small fibers
P. Sandroni, D.P. Martin, B.K. Bruce, J.D. Rome (USA) 210

LETTERS TO THE EDITOR

Anti-hyperalgesia properties of buprenorphine
M.A. Russo (Australia) 216
Response to Dr. Russo's letter: Anti-hyperalgesia properties of buprenorphine
W. Koppert (Germany) 216

Number 3 – June 2006

EDITORIAL

Burning questions about the brain in pain
S.W.G. Derbyshire (United Kingdom) 217

TOPICAL REVIEW

Managing low back pain presenting to primary care: Where do we go from here?
G.J. Macfarlane, G.T. Jones, P.C. Hannaford (United Kingdom) 219

RESEARCH PAPERS

Cerebral activation during thermal stimulation of patients who have burning mouth disorder: An fMRI study
R.J.C. Albuquerque, R. de Leeuw, C.R. Carlson, J.P. Okeson, C.S. Miller, A.H. Andersen (USA) 223
Role of the paratrigeminal nucleus in nocifensive responses of rats to chemical, thermal and mechanical stimuli applied to the hind paw
J. Koepp, C.J. Lindsey, E.M. Motta, G.A. Rae (Brazil) 235
Studies of peripheral sensory nerves in paclitaxel-induced painful peripheral neuropathy: Evidence for mitochondrial dysfunction
S.J.L. Flatters, G.J. Bennett (Canada) 245
Pain related sexual dysfunction after inguinal herniorrhaphy
E.K. Aasvang, B. Møhl, M. Bay-Nielsen, H. Kehlet (Denmark) 258
Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms
G. Zanette, S. Marani, S. Tamburin (Italy) 264
Long-term effectiveness of a patient and family pain education program on overcoming barriers to management of cancer pain
C.-C. Lin, P.-L. Chou, S.-L. Wu, Y.-C. Chang, Y.-L. Lai (Taiwan) 271
The relation between catastrophizing and the communication of pain experience
M.J.L. Sullivan, M.O. Martel, D. Tripp, A. Savard, G. Crombez (Canada, Belgium) 282

Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians
M.I. Bennett, B.H. Smith, N. Torrance, A.J. Lee (United Kingdom) 289
Contact heat-evoked temporal summation: Tonic versus repetitive-phasic stimulation
M. Granot, Y. Granovsky, E. Sprecher, R.-R. Nir, D. Yarnitsky (Israel) 295
Effect of local anesthesia on atypical odontalgia – A randomized controlled trial
T. List, G. Leijon, M. Helkimo, A. Öster, P. Svensson (Sweden, Denmark) 306
The effects of Botulinum Toxin type A on capsaicin-evoked pain, flare, and secondary hyperalgesia in an experimental human model of trigeminal sensitization
P. Gazerani, C. Staahl, A.M. Drewes, L. Arendt-Nielsen (Denmark) 315

LETTERS TO THE EDITOR

Comments on Pud and Sapir study
C. Villemure, M.C. Bushnell (Canada) 326
Dr. Pud's Response to Dr. Villemure's Letter
D. Pud, S. Sapir (Israel) 326
Comment on Goubert et al.: Facing others in pain: the effects of empathy. Pain 2005;118:285–8
R.C. Tait, J.T. Chibnall (USA) 327
Response to Letter to the Editor regarding our manuscript "Facing others in pain: The effects of empathy"
L. Goubert, T. Vervoort, G. Crombez, A. Cano, K.D. Craig, A.C. de C. Williams (Belgium, The Netherlands, USA, Canada, UK) 328

CLINICAL UPDATES 331

Author Index to Volume 122 332
Subject Index to Volume 122 335
Contents to Volume 122 340